

Size	Steel Grade	Length (m)	Available (t)
Ø 30 mm	16/20MnCr5	6.00	2.365 t
Ø 40 mm	16/20MnCr5	6.00	3.280 t
Ø 45 mm	16/20MnCr5	6.00	5.766 t
Ø 50 mm	16/20MnCr5	6.00	5.800 t
Ø 55 mm	16/20MnCr5	6.00	6.543 t
Ø 70 mm	16/20MnCr5	5.80 - 6.00	28.143 t
Ø 80 mm	16/20MnCr5	6.00	55.730 t
Ø 95 mm	16/20MnCr5	6.00	0.674 t
Ø 100 mm	16/20MnCr5	5.80	42.293 t
Ø 170 mm	16/20MnCr5	5.00 - 5.60	3.375 t
Ø 180 mm	16/20MnCr5	5.00	0.448 t
Ø 220 mm	16/20MnCr5	4.30 - 4.70	2.583 t
Subtotal [16/20MnCr5]:			157.000 t
Ø 35 mm	16/20MnCr5+N	6.00	4.699 t
Ø 60 mm	16/20MnCr5+N	6.00	2.383 t
Ø 65 mm	16/20MnCr5+N	6.00	0.100 t
Ø 85 mm	16/20MnCr5+N	6.00	1.622 t
Subtotal [16/20MnCr5+N]:			8.804 t
Ø 25 mm	16/20MnCr55	5.00 - 5.80	7.262 t
Ø 60 mm	16/20MnCr55	5.80 - 6.00	41.052 t
Ø 75 mm	16/20MnCr55	6.00	4.270 t
Ø 80 mm	16/20MnCr55	5.80	46.124 t
Ø 90 mm	16/20MnCr55	5.80	18.799 t
Ø 110 mm	16/20MnCr55	5.80	8.756 t
Ø 120 mm	16/20MnCr55	5.80	147.852 t
Ø 130 mm	16/20MnCr55	5.80	6.674 t
Ø 140 mm	16/20MnCr55	4.58 - 5.80	8.972 t
Ø 160 mm	16/20MnCr55	5.23 - 5.80	8.023 t
Ø 170 mm	16/20MnCr55	5.80	12.077 t
Ø 180 mm	16/20MnCr55	4.30 - 5.80	6.400 t
Ø 190 mm	16/20MnCr55	5.80	7.660 t
Ø 200 mm	16/20MnCr55	5.80	10.944 t
Ø 230 mm	16/20MnCr55	5.80	9.502 t
Ø 280 mm	16/20MnCr55	5.74 - 5.80	5.646 t
Ø 290 mm	16/20MnCr55	5.80	8.980 t
Ø 300 mm	16/20MnCr55	5.80	9.382 t
Ø 310 mm	16/20MnCr55	5.80	6.928 t
Ø 320 mm	16/20MnCr55	5.80	9.504 t
Subtotal [16/20MnCr55]:			384.807 t
Ø 35 mm	16/20MnCrS5	5.20 - 6.10	7.444 t
Ø 45 mm	16/20MnCrS5	4.50 - 6.10	2.045 t
Ø 50 mm	16/20MnCrS5	4.25 - 6.10	33.939 t
Ø 60 mm	16/20MnCrS5	5.00 - 6.10	0.134 t
Ø 70 mm	16/20MnCrS5	4.10 - 6.10	1.010 t
Ø 85 mm	16/20MnCrS5	6.00	16.693 t

Size	Steel Grade	Length (m)	Available (t)
Ø 90 mm	16/20MnCrS5	6.00	14.844 t
Ø 100 mm	16/20MnCrS5	6.00	150.360 t
Ø 105 mm	16/20MnCrS5	6.00	4.610 t
Ø 110 mm	16/20MnCrS5	6.00	4.520 t
Ø 115 mm	16/20MnCrS5	4.00 - 6.10	31.979 t
Ø 120 mm	16/20MnCrS5	6.00	131.180 t
Ø 125 mm	16/20MnCrS5	4.10 - 6.10	5.079 t
Ø 130 mm	16/20MnCrS5	6.00	5.104 t
Ø 135 mm	16/20MnCrS5	5.15 - 6.00	7.915 t
Ø 140 mm	16/20MnCrS5	-	5.000 t
Ø 145 mm	16/20MnCrS5	5.75	5.860 t
Ø 150 mm	16/20MnCrS5	5.40 - 6.00	9.415 t
Ø 160 mm	16/20MnCrS5	5.00 - 6.00	5.620 t
Ø 170 mm	16/20MnCrS5	5.00 - 6.00	9.520 t
Ø 180 mm	16/20MnCrS5	5.00 - 6.00	5.810 t
Ø 190 mm	16/20MnCrS5	3.80 - 6.10	8.647 t
Ø 200 mm	16/20MnCrS5	5.00 - 6.00	12.035 t
Ø 210 mm	16/20MnCrS5	4.00 - 6.00	12.760 t
Ø 220 mm	16/20MnCrS5	4.00 - 6.00	11.274 t
Ø 230 mm	16/20MnCrS5	6.00	9.795 t
Ø 240 mm	16/20MnCrS5	4.00 - 5.80	5.885 t
Ø 250 mm	16/20MnCrS5	4.00 - 5.80	4.314 t
Ø 260 mm	16/20MnCrS5	4.00 - 5.80	6.883 t
Ø 280 mm	16/20MnCrS5	4.00 - 5.80	3.986 t
Ø 290 mm	16/20MnCrS5	6.00	5.335 t
Subtotal [16/20MnCrS5]:			538.995 t
Ø 65 mm	16MnCr5	6.00	6.218 t
Subtotal [16MnCr5]:			6.218 t
Ø 140 mm	16MnCrS5	0.21 - 0.33	0.034 t
Ø 150 mm	16MnCrS5	0.21 - 1.74	0.112 t
Ø 170 mm	16MnCrS5	5.00 - 6.00	3.755 t
Ø 190 mm	16MnCrS5	5.00 - 5.50	3.680 t
Ø 200 mm	16MnCrS5	0.18 - 6.05	4.200 t
Ø 210 mm	16MnCrS5	4.10 - 5.90	11.523 t
Ø 220 mm	16MnCrS5	4.30 - 4.70	9.405 t
Ø 230 mm	16MnCrS5	4.00 - 5.90	0.660 t
Ø 240 mm	16MnCrS5	0.12 - 5.90	0.722 t
Ø 260 mm	16MnCrS5	5.00 - 5.10	2.130 t
Ø 270 mm	16MnCrS5	4.20 - 5.10	6.526 t
Ø 280 mm	16MnCrS5	4.20 - 4.70	0.280 t
Subtotal [16MnCrS5]:			43.027 t
Ø 130 mm	30CrNiMo8+QT	2.24 - 5.13	2.221 t
Ø 170 mm	30CrNiMo8+QT	4.92 - 5.40	15.776 t
Ø 180 mm	30CrNiMo8+QT	4.25 - 4.39	2.174 t
Ø 210 mm	30CrNiMo8+QT	4.25 - 4.47	3.675 t

Size	Steel Grade	Length (m)	Available (t)
Ø 230 mm	30CrNiMo8+QT	4.60 - 4.65	0.845 t
Ø 260 mm	30CrNiMo8+QT	0.18 - 4.14	3.717 t
Subtotal [30CrNiMo8+QT]:			28.408 t
Ø 135 mm	34CrNiMo6	5.00 - 5.30	3.030 t
Subtotal [34CrNiMo6]:			3.030 t
Ø 25 mm	34CrNiMo6+QT	5.00 - 5.80	15.916 t
Ø 30 mm	34CrNiMo6+QT	5.00 - 5.80	15.809 t
Ø 35 mm	34CrNiMo6+QT	5.00 - 5.80	17.651 t
Ø 40 mm	34CrNiMo6+QT	5.80	13.177 t
Ø 45 mm	34CrNiMo6+QT	5.00 - 5.80	14.653 t
Ø 50 mm	34CrNiMo6+QT	5.00 - 5.80	14.705 t
Ø 55 mm	34CrNiMo6+QT	4.70 - 6.00	15.708 t
Ø 60 mm	34CrNiMo6+QT	5.80	14.230 t
Ø 65 mm	34CrNiMo6+QT	5.80 - 6.00	67.858 t
Ø 70 mm	34CrNiMo6+QT	5.00 - 5.80	26.232 t
Ø 75 mm	34CrNiMo6+QT	5.00 - 5.80	24.991 t
Ø 80 mm	34CrNiMo6+QT	4.00 - 7.50	24.686 t
Ø 85 mm	34CrNiMo6+QT	5.70 - 6.00	22.111 t
Ø 90 mm	34CrNiMo6+QT	5.00 - 6.00	29.477 t
Ø 95 mm	34CrNiMo6+QT	5.00 - 6.00	17.121 t
Ø 100 mm	34CrNiMo6+QT	5.00 - 6.00	31.775 t
Ø 105 mm	34CrNiMo6+QT	5.00 - 6.00	34.179 t
Ø 110 mm	34CrNiMo6+QT	5.80 - 6.00	28.042 t
Ø 115 mm	34CrNiMo6+QT	5.80	11.777 t
Ø 120 mm	34CrNiMo6+QT	4.20 - 6.00	34.248 t
Ø 125 mm	34CrNiMo6+QT	6.00	22.107 t
Ø 130 mm	34CrNiMo6+QT	5.00 - 6.00	18.870 t
Ø 135 mm	34CrNiMo6+QT	5.00 - 6.00	31.166 t
Ø 140 mm	34CrNiMo6+QT	0.23 - 6.20	54.999 t
Ø 145 mm	34CrNiMo6+QT	5.00 - 6.00	22.082 t
Ø 150 mm	34CrNiMo6+QT	0.73 - 6.00	34.213 t
Ø 155 mm	34CrNiMo6+QT	-	19.487 t
Ø 160 mm	34CrNiMo6+QT	0.14 - 5.90	28.494 t
Ø 165 mm	34CrNiMo6+QT	5.00 - 5.80	7.514 t
Ø 170 mm	34CrNiMo6+QT	4.00 - 6.00	53.427 t
Ø 180 mm	34CrNiMo6+QT	0.10 - 6.00	98.246 t
Ø 190 mm	34CrNiMo6+QT	0.09 - 6.02	60.507 t
Ø 200 mm	34CrNiMo6+QT	0.09 - 6.00	36.733 t
Ø 210 mm	34CrNiMo6+QT	0.45 - 6.00	124.209 t
Ø 220 mm	34CrNiMo6+QT	4.00 - 6.00	77.345 t
Ø 230 mm	34CrNiMo6+QT	4.00 - 6.00	54.579 t
Ø 240 mm	34CrNiMo6+QT	4.46 - 6.00	114.432 t
Ø 250 mm	34CrNiMo6+QT	0.09 - 6.00	113.427 t
Ø 260 mm	34CrNiMo6+QT	3.70 - 6.00	46.905 t
Ø 270 mm	34CrNiMo6+QT	0.08 - 6.00	21.097 t

Size	Steel Grade	Length (m)	Available (t)
Ø 280 mm	34CrNiMo6+QT	4.55 - 6.10	15.365 t
Ø 290 mm	34CrNiMo6+QT	4.20 - 6.88	27.820 t
Ø 300 mm	34CrNiMo6+QT	4.48 - 6.04	29.931 t
Ø 310 mm	34CrNiMo6+QT	0.06 - 6.16	26.884 t
Ø 320 mm	34CrNiMo6+QT	4.83 - 5.80	20.502 t
Ø 330 mm	34CrNiMo6+QT	0.08 - 6.02	33.878 t
Ø 340 mm	34CrNiMo6+QT	3.50 - 5.90	33.484 t
Ø 350 mm	34CrNiMo6+QT	3.46 - 5.48	17.825 t
Ø 360 mm	34CrNiMo6+QT	5.40 - 5.79	13.440 t
Ø 370 mm	34CrNiMo6+QT	5.20 - 5.49	13.586 t
Ø 380 mm	34CrNiMo6+QT	5.40 - 5.54	14.805 t
Ø 400 mm	34CrNiMo6+QT	5.40	20.715 t
Ø 410 mm	34CrNiMo6+QT	5.58	11.420 t
Ø 420 mm	34CrNiMo6+QT	5.70	6.055 t
Ø 430 mm	34CrNiMo6+QT	5.31	6.150 t
Ø 440 mm	34CrNiMo6+QT	5.31	6.115 t
Ø 450 mm	34CrNiMo6+QT	5.17 - 5.79	18.310 t
Ø 460 mm	34CrNiMo6+QT	5.47	7.220 t
Ø 470 mm	34CrNiMo6+QT	5.35	7.300 t
Ø 480 mm	34CrNiMo6+QT	5.42	7.730 t
Ø 500 mm	34CrNiMo6+QT	4.28 - 4.43	13.783 t
Ø 510 mm	34CrNiMo6+QT	2.54	4.818 t
Ø 520 mm	34CrNiMo6+QT	5.50	7.935 t
Ø 530 mm	34CrNiMo6+QT	5.20	9.081 t
Ø 540 mm	34CrNiMo6+QT	4.97	9.010 t
Ø 550 mm	34CrNiMo6+QT	5.64	10.520 t
Ø 560 mm	34CrNiMo6+QT	4.80	7.700 t
Ø 570 mm	34CrNiMo6+QT	4.79	9.680 t
Ø 580 mm	34CrNiMo6+QT	5.26	5.780 t
Ø 600 mm	34CrNiMo6+QT	3.78	8.260 t
Ø 610 mm	34CrNiMo6+QT	2.25 - 2.26	4.441 t
Ø 620 mm	34CrNiMo6+QT	4.56	10.950 t
Ø 630 mm	34CrNiMo6+QT	4.41	10.950 t
Ø 650 mm	34CrNiMo6+QT	3.12	8.209 t
Ø 700 mm	34CrNiMo6+QT	3.45	10.510 t
Subtotal [34CrNiMo6+QT]:			1 984.347 t
Ø 140 mm	35HGSA	5.90 - 6.10	16.634 t
Subtotal [35HGSA]:			16.634 t
Ø 25 mm	41Cr4	5.80	4.202 t
Ø 30 mm	41Cr4	5.80	3.010 t
Ø 35 mm	41Cr4	5.80	3.116 t
Ø 40 mm	41Cr4	5.80	2.579 t
Ø 45 mm	41Cr4	5.80	1.911 t
Ø 50 mm	41Cr4	0.50 - 5.80	7.559 t
Ø 55 mm	41Cr4	5.80 - 6.00	10.882 t

Size	Steel Grade	Length (m)	Available (t)
Ø 60 mm	41Cr4	5.80 - 6.00	1.674 t
Ø 65 mm	41Cr4	5.80	3.294 t
Ø 70 mm	41Cr4	5.80	6.336 t
Ø 75 mm	41Cr4	5.80 - 6.00	5.757 t
Ø 80 mm	41Cr4	5.80	3.019 t
Ø 85 mm	41Cr4	5.80 - 6.00	14.161 t
Ø 90 mm	41Cr4	5.80	10.581 t
Ø 95 mm	41Cr4	5.80	6.213 t
Ø 100 mm	41Cr4	5.80	23.168 t
Ø 105 mm	41Cr4	5.80	15.472 t
Ø 110 mm	41Cr4	5.80 - 6.00	10.426 t
Ø 115 mm	41Cr4	4.50 - 6.00	3.370 t
Ø 120 mm	41Cr4	5.80	4.918 t
Ø 125 mm	41Cr4	5.00 - 6.20	4.010 t
Ø 130 mm	41Cr4	1.05 - 6.00	10.540 t
Ø 135 mm	41Cr4	5.80	6.553 t
Ø 140 mm	41Cr4	5.80	14.572 t
Ø 150 mm	41Cr4	4.80 - 5.80	11.152 t
Ø 160 mm	41Cr4	4.26 - 5.87	7.850 t
Ø 170 mm	41Cr4	5.00 - 6.00	8.140 t
Ø 180 mm	41Cr4	5.80	8.182 t
Ø 190 mm	41Cr4	4.30 - 5.80	2.631 t
Ø 200 mm	41Cr4	5.80	15.635 t
Ø 210 mm	41Cr4	4.00 - 6.20	62.966 t
Ø 220 mm	41Cr4	4.20 - 6.00	43.280 t
Ø 230 mm	41Cr4	5.80	27.836 t
Ø 240 mm	41Cr4	4.82 - 5.80	32.248 t
Ø 250 mm	41Cr4	5.80	33.992 t
Ø 260 mm	41Cr4	5.91	5.364 t
Ø 270 mm	41Cr4	4.70 - 5.10	36.780 t
Ø 280 mm	41Cr4	4.20 - 5.70	26.525 t
Ø 300 mm	41Cr4	5.80	6.554 t
Subtotal [41Cr4]:			506.458 t
Ø 400 mm	42CrMo(S)4+QT	4.36 - 5.48	9.860 t
Ø 420 mm	42CrMo(S)4+QT	4.66 - 4.79	15.420 t
Ø 480 mm	42CrMo(S)4+QT	4.32 - 4.40	12.540 t
Subtotal [42CrMo(S)4+QT]:			37.820 t
Ø 45 mm	42CrMo4	6.00	0.163 t
Ø 65 mm	42CrMo4	6.00	12.082 t
Subtotal [42CrMo4]:			12.245 t
Ø 55 mm	42CrMo4+QT	6.00	1.350 t
Ø 90 mm	42CrMo4+QT	6.00	0.821 t
Ø 280 mm	42CrMo4+QT	5.00 - 6.00	21.300 t
Ø 300 mm	42CrMo4+QT	6.03	3.360 t
Ø 350 mm	42CrMo4+QT	4.90 - 5.30	11.760 t

Size	Steel Grade	Length (m)	Available (t)
Ø 360 mm	42CrMo4+QT	5.66	4.660 t
Ø 370 mm	42CrMo4+QT	6.00	5.180 t
Ø 380 mm	42CrMo4+QT	5.50	4.980 t
Ø 430 mm	42CrMo4+QT	5.44	6.280 t
Ø 460 mm	42CrMo4+QT	5.84	7.720 t
Ø 500 mm	42CrMo4+QT	4.94	7.720 t
Ø 540 mm	42CrMo4+QT	4.98	9.060 t
Subtotal [42CrMo4+QT]:			84.191 t
Ø 25 mm	42CrMoS4	5.80	2.907 t
Ø 30 mm	42CrMoS4	5.80	7.258 t
Ø 35 mm	42CrMoS4	5.80 - 6.00	15.927 t
Ø 40 mm	42CrMoS4	5.80 - 6.00	20.132 t
Ø 45 mm	42CrMoS4	5.40 - 6.00	23.697 t
Ø 50 mm	42CrMoS4	5.58 - 6.00	18.357 t
Ø 55 mm	42CrMoS4	4.10 - 6.00	41.331 t
Ø 60 mm	42CrMoS4	5.80 - 6.00	34.790 t
Ø 65 mm	42CrMoS4	5.59 - 5.85	5.860 t
Ø 70 mm	42CrMoS4	5.00 - 6.00	65.467 t
Ø 75 mm	42CrMoS4	5.75 - 6.00	54.900 t
Ø 80 mm	42CrMoS4	5.80 - 6.00	52.655 t
Ø 85 mm	42CrMoS4	5.55 - 6.00	59.370 t
Ø 90 mm	42CrMoS4	5.80 - 6.00	172.514 t
Ø 95 mm	42CrMoS4	0.04 - 6.00	34.931 t
Ø 100 mm	42CrMoS4	5.80 - 6.00	35.980 t
Ø 105 mm	42CrMoS4	5.80 - 6.00	31.924 t
Ø 110 mm	42CrMoS4	5.80 - 6.00	21.170 t
Ø 115 mm	42CrMoS4	4.00 - 6.00	8.217 t
Ø 120 mm	42CrMoS4	5.80 - 6.00	109.107 t
Ø 125 mm	42CrMoS4	5.80 - 6.00	11.569 t
Ø 130 mm	42CrMoS4	5.80 - 6.00	55.255 t
Ø 135 mm	42CrMoS4	5.00 - 6.20	4.300 t
Ø 140 mm	42CrMoS4	5.80 - 6.00	63.091 t
Ø 145 mm	42CrMoS4	5.80	6.718 t
Ø 150 mm	42CrMoS4	5.80 - 6.00	20.522 t
Ø 160 mm	42CrMoS4	5.00 - 6.00	21.909 t
Ø 170 mm	42CrMoS4	5.00 - 6.00	39.874 t
Ø 180 mm	42CrMoS4	5.00 - 6.00	24.603 t
Ø 190 mm	42CrMoS4	5.00 - 6.00	26.009 t
Ø 200 mm	42CrMoS4	5.00 - 6.00	36.895 t
Ø 210 mm	42CrMoS4	5.00 - 6.00	8.296 t
Ø 220 mm	42CrMoS4	5.00 - 6.00	11.538 t
Ø 230 mm	42CrMoS4	4.60 - 6.00	3.249 t
Ø 240 mm	42CrMoS4	4.60 - 5.80	9.532 t
Ø 250 mm	42CrMoS4	4.08 - 5.80	22.288 t
Ø 310 mm	42CrMoS4	5.03 - 5.80	10.360 t

Size	Steel Grade	Length (m)	Available (t)
Ø 330 mm	42CrMoS4	5.40 - 5.50	18.372 t
Ø 340 mm	42CrMoS4	5.05 - 5.20	18.095 t
Ø 350 mm	42CrMoS4	5.80	26.348 t
Subtotal [42CrMoS4]:			1 255.317 t
Ø 270 mm	42CrMoS4+A	5.50	2.520 t
Subtotal [42CrMoS4+A]:			2.520 t
Ø 25 mm	42CrMoS4+QT	5.00 - 5.80	26.760 t
Ø 30 mm	42CrMoS4+QT	5.80	34.726 t
Ø 35 mm	42CrMoS4+QT	5.00 - 6.00	13.409 t
Ø 40 mm	42CrMoS4+QT	5.00 - 6.00	19.312 t
Ø 45 mm	42CrMoS4+QT	5.00 - 6.00	15.372 t
Ø 50 mm	42CrMoS4+QT	5.80 - 6.00	12.962 t
Ø 55 mm	42CrMoS4+QT	5.00 - 6.00	22.951 t
Ø 60 mm	42CrMoS4+QT	5.00 - 6.00	55.476 t
Ø 65 mm	42CrMoS4+QT	5.00 - 6.00	58.671 t
Ø 70 mm	42CrMoS4+QT	5.00 - 6.00	38.654 t
Ø 75 mm	42CrMoS4+QT	5.80 - 6.00	19.954 t
Ø 80 mm	42CrMoS4+QT	4.58 - 6.00	43.600 t
Ø 85 mm	42CrMoS4+QT	5.80 - 6.00	23.357 t
Ø 90 mm	42CrMoS4+QT	0.46 - 6.00	52.463 t
Ø 95 mm	42CrMoS4+QT	5.00 - 6.00	37.679 t
Ø 100 mm	42CrMoS4+QT	6.00	48.428 t
Ø 105 mm	42CrMoS4+QT	5.00 - 6.00	29.542 t
Ø 110 mm	42CrMoS4+QT	5.00 - 6.00	39.537 t
Ø 115 mm	42CrMoS4+QT	5.80 - 6.00	38.641 t
Ø 120 mm	42CrMoS4+QT	6.00	34.375 t
Ø 125 mm	42CrMoS4+QT	5.00 - 6.00	52.562 t
Ø 130 mm	42CrMoS4+QT	6.00	59.485 t
Ø 135 mm	42CrMoS4+QT	4.60 - 6.00	49.014 t
Ø 140 mm	42CrMoS4+QT	4.80 - 6.00	46.473 t
Ø 145 mm	42CrMoS4+QT	5.00 - 6.00	42.682 t
Ø 150 mm	42CrMoS4+QT	0.10 - 6.00	67.383 t
Ø 155 mm	42CrMoS4+QT	5.00 - 6.00	7.895 t
Ø 160 mm	42CrMoS4+QT	4.13 - 6.00	102.685 t
Ø 165 mm	42CrMoS4+QT	5.00 - 6.00	13.310 t
Ø 170 mm	42CrMoS4+QT	5.00 - 6.00	74.105 t
Ø 180 mm	42CrMoS4+QT	5.00 - 6.10	49.415 t
Ø 190 mm	42CrMoS4+QT	4.10 - 6.20	59.029 t
Ø 200 mm	42CrMoS4+QT	4.50 - 6.00	61.527 t
Ø 210 mm	42CrMoS4+QT	3.92 - 6.00	69.770 t
Ø 220 mm	42CrMoS4+QT	0.10 - 6.00	72.919 t
Ø 230 mm	42CrMoS4+QT	4.67 - 6.00	79.644 t
Ø 240 mm	42CrMoS4+QT	3.96 - 6.00	90.927 t
Ø 250 mm	42CrMoS4+QT	4.13 - 6.00	51.724 t
Ø 260 mm	42CrMoS4+QT	0.51 - 6.00	116.768 t

Size	Steel Grade	Length (m)	Available (t)
Ø 270 mm	42CrMoS4+QT	0.29 - 6.04	69.288 t
Ø 280 mm	42CrMoS4+QT	0.40 - 6.00	68.036 t
Ø 290 mm	42CrMoS4+QT	3.50 - 6.00	45.077 t
Ø 300 mm	42CrMoS4+QT	3.50 - 6.03	56.793 t
Ø 310 mm	42CrMoS4+QT	4.98 - 5.80	37.903 t
Ø 320 mm	42CrMoS4+QT	3.79 - 5.80	34.220 t
Ø 330 mm	42CrMoS4+QT	3.60 - 6.45	51.351 t
Ø 340 mm	42CrMoS4+QT	0.11 - 6.54	42.521 t
Ø 350 mm	42CrMoS4+QT	5.06 - 5.34	24.965 t
Ø 360 mm	42CrMoS4+QT	1.99 - 6.10	40.405 t
Ø 370 mm	42CrMoS4+QT	5.42 - 5.77	8.655 t
Ø 380 mm	42CrMoS4+QT	1.12 - 5.13	32.396 t
Ø 390 mm	42CrMoS4+QT	5.62 - 6.47	10.810 t
Ø 400 mm	42CrMoS4+QT	4.15 - 6.42	20.830 t
Ø 410 mm	42CrMoS4+QT	5.00 - 5.78	26.294 t
Ø 420 mm	42CrMoS4+QT	4.50 - 6.13	25.700 t
Ø 430 mm	42CrMoS4+QT	3.53 - 6.30	12.861 t
Ø 440 mm	42CrMoS4+QT	5.41 - 5.83	37.793 t
Ø 450 mm	42CrMoS4+QT	2.03 - 5.59	23.885 t
Ø 460 mm	42CrMoS4+QT	3.84 - 6.07	18.849 t
Ø 470 mm	42CrMoS4+QT	4.33 - 6.27	38.476 t
Ø 480 mm	42CrMoS4+QT	3.85 - 5.77	16.065 t
Ø 490 mm	42CrMoS4+QT	4.09 - 5.35	3.480 t
Ø 500 mm	42CrMoS4+QT	2.80 - 5.71	42.839 t
Ø 510 mm	42CrMoS4+QT	4.94 - 5.70	22.937 t
Ø 520 mm	42CrMoS4+QT	2.44 - 5.23	28.524 t
Ø 530 mm	42CrMoS4+QT	2.78 - 5.83	37.035 t
Ø 540 mm	42CrMoS4+QT	5.80	10.565 t
Ø 550 mm	42CrMoS4+QT	2.78 - 5.40	26.200 t
Ø 560 mm	42CrMoS4+QT	1.70 - 5.54	31.835 t
Ø 570 mm	42CrMoS4+QT	5.00	9.145 t
Ø 580 mm	42CrMoS4+QT	5.00 - 5.35	26.725 t
Ø 590 mm	42CrMoS4+QT	5.02	6.915 t
Ø 600 mm	42CrMoS4+QT	3.57 - 5.14	44.550 t
Ø 610 mm	42CrMoS4+QT	3.38 - 4.13	26.440 t
Ø 620 mm	42CrMoS4+QT	3.81	9.055 t
Ø 630 mm	42CrMoS4+QT	2.09 - 4.00	14.990 t
Ø 640 mm	42CrMoS4+QT	4.12 - 4.22	21.265 t
Ø 650 mm	42CrMoS4+QT	2.17 - 3.99	25.565 t
Ø 660 mm	42CrMoS4+QT	3.81	10.295 t
Ø 670 mm	42CrMoS4+QT	2.37	6.615 t
Ø 680 mm	42CrMoS4+QT	3.53 - 3.65	20.795 t
Ø 700 mm	42CrMoS4+QT	2.98 - 3.10	18.540 t
Ø 720 mm	42CrMoS4+QT	3.00	8.970 t
Ø 740 mm	42CrMoS4+QT	3.10	17.385 t
Ø 750 mm	42CrMoS4+QT	0.08	18.385 t

Size	Steel Grade	Length (m)	Available (t)
Subtotal [42CrMoS4+QT]:			3 065.409 t
Ø 16 mm	50CrV4	6.00	1.968 t
Ø 42 mm	50CrV4	6.00	0.664 t
Ø 45 mm	50CrV4	6.00	0.069 t
Subtotal [50CrV4]:			2.701 t
Ø 65 mm	C15E	5.30 - 5.40	0.765 t
Ø 120 mm	C15E	5.40 - 5.70	2.460 t
Ø 180 mm	C15E	4.40 - 4.60	7.201 t
Ø 200 mm	C15E	5.30 - 5.50	2.746 t
Ø 260 mm	C15E	4.10 - 5.20	0.240 t
Subtotal [C15E]:			13.412 t
Ø 24 mm	C45	6.00	1.518 t
Ø 30 mm	C45	6.00	0.272 t
Ø 45 mm	C45	6.00	0.079 t
Ø 80 mm	C45	6.00	0.000 t
Ø 85 mm	C45	6.10	0.825 t
Ø 160 mm	C45	5.00 - 6.00	33.980 t
Ø 165 mm	C45	5.00 - 6.00	11.955 t
Ø 170 mm	C45	5.00 - 6.00	29.855 t
Ø 180 mm	C45	5.00 - 6.00	18.970 t
Ø 200 mm	C45	5.00 - 6.00	30.630 t
Ø 210 mm	C45	5.00 - 6.00	21.700 t
Ø 230 mm	C45	5.00 - 6.00	30.210 t
Subtotal [C45]:			179.994 t
Ø 40 mm	C45E	6.00	6.090 t
Ø 60 mm	C45E	6.00	1.474 t
Ø 70 mm	C45E	6.00	12.136 t
Ø 140 mm	C45E	5.20 - 6.00	19.680 t
Ø 170 mm	C45E	4.90 - 5.10	0.000 t
Ø 180 mm	C45E	0.12 - 0.88	0.836 t
Ø 200 mm	C45E	5.00 - 6.00	0.055 t
Ø 210 mm	C45E	4.90 - 5.80	1.135 t
Ø 220 mm	C45E	4.90 - 5.80	0.348 t
Ø 230 mm	C45E	0.30 - 5.30	0.233 t
Ø 240 mm	C45E	0.56	0.207 t
Ø 250 mm	C45E	0.06 - 4.70	0.627 t
Ø 260 mm	C45E	0.06 - 0.08	0.099 t
Ø 270 mm	C45E	2.34	0.214 t
Ø 310 mm	C45E	5.45 - 5.63	45.555 t
Subtotal [C45E]:			88.689 t
Ø 200 mm	C45E+N	4.31 - 6.20	11.160 t
Ø 210 mm	C45E+N	5.52 - 5.97	6.435 t
Ø 220 mm	C45E+N	5.02 - 5.63	9.385 t
Ø 230 mm	C45E+N	5.50 - 5.67	9.150 t
Ø 240 mm	C45E+N	5.31 - 5.89	7.815 t

Size	Steel Grade	Length (m)	Available (t)
Ø 250 mm	C45E+N	-	11.135 t
Ø 260 mm	C45E+N	5.29 - 5.91	9.535 t
Ø 270 mm	C45E+N	5.70 - 5.72	5.180 t
Ø 280 mm	C45E+N	5.67 - 5.73	11.230 t
Ø 290 mm	C45E+N	4.90 - 6.38	8.355 t
Ø 300 mm	C45E+N	4.30 - 6.23	63.745 t
Ø 310 mm	C45E+N	4.45 - 5.91	26.165 t
Ø 320 mm	C45E+N	5.52 - 6.00	76.543 t
Ø 330 mm	C45E+N	3.60 - 6.85	49.975 t
Ø 340 mm	C45E+N	3.50 - 7.20	57.916 t
Ø 350 mm	C45E+N	4.74 - 6.19	79.453 t
Ø 360 mm	C45E+N	5.01 - 5.42	46.225 t
Ø 370 mm	C45E+N	4.94 - 5.93	44.603 t
Ø 380 mm	C45E+N	4.30 - 6.84	63.800 t
Ø 390 mm	C45E+N	4.90 - 6.54	11.532 t
Ø 400 mm	C45E+N	4.37 - 6.59	112.066 t
Ø 410 mm	C45E+N	5.07 - 6.65	36.650 t
Ø 420 mm	C45E+N	5.46 - 5.78	30.945 t
Ø 430 mm	C45E+N	5.33 - 5.86	50.115 t
Ø 450 mm	C45E+N	5.50 - 5.80	14.025 t
Ø 480 mm	C45E+N	5.62	8.040 t
Ø 500 mm	C45E+N	5.37 - 5.61	17.066 t
Ø 510 mm	C45E+N	4.86 - 5.68	17.831 t
Ø 520 mm	C45E+N	4.26 - 4.86	15.305 t
Ø 560 mm	C45E+N	1.60 - 4.89	30.360 t
Ø 570 mm	C45E+N	5.00	10.070 t
Ø 580 mm	C45E+N	5.23	8.315 t
Ø 600 mm	C45E+N	3.68	7.930 t
Subtotal [C45E+N]:			968.055 t
Ø 25 mm	C45R	5.00 - 5.80	6.999 t
Ø 30 mm	C45R	5.80 - 6.00	24.865 t
Ø 35 mm	C45R	5.70 - 6.00	31.679 t
Ø 40 mm	C45R	5.40 - 6.00	19.070 t
Ø 45 mm	C45R	5.50	19.449 t
Ø 50 mm	C45R	5.00 - 6.00	34.408 t
Ø 55 mm	C45R	5.61 - 6.00	32.515 t
Ø 60 mm	C45R	4.50 - 6.00	28.351 t
Ø 65 mm	C45R	4.75 - 6.00	39.391 t
Ø 70 mm	C45R	4.80 - 6.10	66.231 t
Ø 75 mm	C45R	5.80 - 6.00	39.203 t
Ø 80 mm	C45R	5.00 - 6.00	48.152 t
Ø 85 mm	C45R	5.80 - 6.00	44.714 t
Ø 90 mm	C45R	4.62 - 6.00	142.646 t
Ø 95 mm	C45R	5.00 - 6.00	27.394 t
Ø 100 mm	C45R	1.45 - 6.00	62.605 t

Size	Steel Grade	Length (m)	Available (t)
Ø 105 mm	C45R	4.97 - 6.00	21.974 t
Ø 110 mm	C45R	5.80 - 6.00	31.508 t
Ø 115 mm	C45R	5.05 - 6.05	60.425 t
Ø 120 mm	C45R	4.65 - 6.00	98.087 t
Ø 125 mm	C45R	4.85 - 6.20	40.238 t
Ø 130 mm	C45R	5.00 - 6.20	73.814 t
Ø 135 mm	C45R	0.10 - 6.20	53.065 t
Ø 140 mm	C45R	5.00 - 6.20	258.037 t
Ø 145 mm	C45R	5.00 - 6.20	17.471 t
Ø 150 mm	C45R	4.35 - 6.20	10.611 t
Ø 155 mm	C45R	5.80	7.665 t
Ø 160 mm	C45R	4.28 - 6.00	33.066 t
Ø 165 mm	C45R	5.70 - 5.90	13.504 t
Ø 170 mm	C45R	4.60 - 6.00	33.886 t
Ø 180 mm	C45R	4.55 - 6.00	43.421 t
Ø 190 mm	C45R	5.00 - 6.00	54.858 t
Ø 200 mm	C45R	5.65 - 6.00	36.518 t
Ø 210 mm	C45R	5.36 - 5.97	45.345 t
Ø 220 mm	C45R	5.00 - 6.00	50.895 t
Ø 230 mm	C45R	5.80 - 6.00	34.194 t
Ø 240 mm	C45R	4.06 - 6.00	28.617 t
Ø 250 mm	C45R	5.65 - 6.00	45.210 t
Ø 260 mm	C45R	5.00 - 6.02	25.927 t
Ø 270 mm	C45R	5.00 - 6.00	26.180 t
Ø 280 mm	C45R	5.00 - 6.00	36.130 t
Ø 290 mm	C45R	5.00 - 6.00	14.850 t
Ø 300 mm	C45R	4.00 - 6.00	23.850 t
Ø 310 mm	C45R	5.00 - 6.00	25.375 t
Ø 320 mm	C45R	5.80	19.884 t
Ø 330 mm	C45R	5.70	16.784 t
Ø 340 mm	C45R	5.80	20.294 t
Ø 350 mm	C45R	5.80	30.997 t
Subtotal [C45R]:			2 000.352 t
Ø 200 mm	C45R+AR	4.00 - 5.80	0.838 t
Ø 210 mm	C45R+AR	4.00 - 5.80	6.308 t
Ø 220 mm	C45R+AR	4.00 - 5.80	7.413 t
Ø 240 mm	C45R+AR	4.00 - 5.80	9.240 t
Ø 270 mm	C45R+AR	4.00 - 5.80	6.540 t
Ø 290 mm	C45R+AR	4.00 - 5.80	16.812 t
Subtotal [C45R+AR]:			47.151 t
Ø 250 mm	C45R+N	6.00	4.365 t
Ø 260 mm	C45R+N	5.00 - 6.00	7.205 t
Ø 270 mm	C45R+N	5.00 - 6.00	10.380 t
Ø 280 mm	C45R+N	3.81 - 6.00	15.520 t
Ø 290 mm	C45R+N	5.00 - 6.00	2.980 t

Size	Steel Grade	Length (m)	Available (t)
Ø 300 mm	C45R+N	4.69 - 6.00	22.850 t
Ø 310 mm	C45R+N	4.32 - 6.00	25.193 t
Ø 330 mm	C45R+N	3.83 - 4.10	2.720 t
Ø 340 mm	C45R+N	3.49 - 4.02	5.015 t
Ø 350 mm	C45R+N	3.25 - 6.53	13.083 t
Ø 370 mm	C45R+N	5.37 - 6.28	14.300 t
Ø 380 mm	C45R+N	5.36 - 5.98	15.295 t
Ø 390 mm	C45R+N	4.50 - 5.44	27.875 t
Ø 400 mm	C45R+N	4.35 - 5.51	30.084 t
Ø 410 mm	C45R+N	4.44 - 5.93	29.649 t
Ø 420 mm	C45R+N	1.60 - 6.63	45.450 t
Ø 430 mm	C45R+N	2.51 - 5.80	30.880 t
Ø 440 mm	C45R+N	4.13 - 5.97	44.545 t
Ø 450 mm	C45R+N	0.08	0.101 t
Ø 460 mm	C45R+N	4.83 - 6.62	33.757 t
Ø 470 mm	C45R+N	2.90 - 5.92	41.940 t
Ø 480 mm	C45R+N	4.32 - 6.00	22.920 t
Ø 490 mm	C45R+N	3.29 - 4.58	13.185 t
Ø 500 mm	C45R+N	2.52	3.410 t
Ø 510 mm	C45R+N	3.79 - 3.83	6.060 t
Ø 520 mm	C45R+N	3.32 - 5.51	23.355 t
Ø 530 mm	C45R+N	0.52 - 6.52	21.400 t
Ø 540 mm	C45R+N	4.00	17.280 t
Ø 550 mm	C45R+N	3.78 - 6.19	22.920 t
Ø 560 mm	C45R+N	3.63 - 5.63	16.165 t
Ø 580 mm	C45R+N	0.05	0.104 t
Ø 590 mm	C45R+N	4.33	9.125 t
Ø 600 mm	C45R+N	3.17 - 4.03	31.055 t
Ø 610 mm	C45R+N	2.11 - 2.43	9.880 t
Ø 620 mm	C45R+N	4.10 - 4.41	20.070 t
Ø 630 mm	C45R+N	4.07 - 4.28	20.590 t
Ø 640 mm	C45R+N	2.07 - 2.08	10.530 t
Ø 650 mm	C45R+N	2.20 - 4.25	16.531 t
Ø 660 mm	C45R+N	4.00	10.864 t
Ø 680 mm	C45R+N	3.97	11.445 t
Ø 700 mm	C45R+N	3.90	11.899 t
Ø 720 mm	C45R+N	2.82	9.150 t
Ø 750 mm	C45R+N	2.51 - 3.00	17.630 t
Subtotal [C45R+N]:			748.755 t
Ø 18 mm	S235JR	6.00	6.807 t
Subtotal [S235JR]:			6.807 t
Ø 25 mm	S355J2	5.80 - 6.00	8.869 t
Ø 30 mm	S355J2	0.50 - 6.00	18.613 t
Ø 35 mm	S355J2	5.80 - 6.00	27.277 t
Ø 40 mm	S355J2	0.15 - 6.00	13.010 t

Size	Steel Grade	Length (m)	Available (t)
Ø 45 mm	S355J2	1.20 - 6.00	55.308 t
Ø 48 mm	S355J2	5.35 - 5.80	0.778 t
Ø 50 mm	S355J2	5.80 - 6.10	51.099 t
Ø 55 mm	S355J2	4.40 - 6.10	39.677 t
Ø 60 mm	S355J2	5.00 - 6.00	72.356 t
Ø 65 mm	S355J2	5.00 - 6.00	45.482 t
Ø 70 mm	S355J2	5.80 - 6.00	143.961 t
Ø 75 mm	S355J2	0.39 - 6.00	68.065 t
Ø 80 mm	S355J2	0.79 - 6.00	141.865 t
Ø 85 mm	S355J2	5.00 - 6.00	56.536 t
Ø 90 mm	S355J2	3.18 - 6.00	158.037 t
Ø 95 mm	S355J2	5.80 - 6.00	32.545 t
Ø 100 mm	S355J2	4.15 - 6.00	184.454 t
Ø 105 mm	S355J2	5.80 - 6.00	53.168 t
Ø 110 mm	S355J2	1.62 - 6.10	94.044 t
Ø 115 mm	S355J2	5.66 - 6.05	104.926 t
Ø 120 mm	S355J2	0.07 - 6.00	289.339 t
Ø 125 mm	S355J2	4.90 - 6.10	44.828 t
Ø 130 mm	S355J2	5.80 - 6.00	237.666 t
Ø 135 mm	S355J2	4.50 - 6.00	76.059 t
Ø 140 mm	S355J2	5.00 - 6.20	211.991 t
Ø 145 mm	S355J2	5.50 - 6.00	41.790 t
Ø 150 mm	S355J2	4.98 - 6.20	132.732 t
Ø 155 mm	S355J2	4.62 - 6.00	36.996 t
Ø 160 mm	S355J2	0.24 - 6.00	94.092 t
Ø 165 mm	S355J2	5.00 - 6.00	9.916 t
Ø 170 mm	S355J2	4.10 - 6.00	61.641 t
Ø 175 mm	S355J2	5.80	7.619 t
Ø 180 mm	S355J2	0.23 - 6.00	102.866 t
Ø 185 mm	S355J2	5.80	9.638 t
Ø 190 mm	S355J2	3.80 - 6.00	99.504 t
Ø 200 mm	S355J2	1.58 - 6.00	168.915 t
Ø 210 mm	S355J2	4.03 - 6.00	102.324 t
Ø 220 mm	S355J2	0.07 - 6.00	70.682 t
Ø 230 mm	S355J2	0.05 - 6.00	89.290 t
Ø 240 mm	S355J2	4.10 - 6.00	90.921 t
Ø 250 mm	S355J2	0.20 - 6.00	124.028 t
Ø 260 mm	S355J2	4.00 - 6.00	53.249 t
Ø 270 mm	S355J2	0.31 - 6.00	89.057 t
Ø 280 mm	S355J2	4.00 - 6.00	79.172 t
Ø 290 mm	S355J2	4.05 - 6.00	63.952 t
Ø 300 mm	S355J2	5.14 - 6.00	34.044 t
Ø 310 mm	S355J2	0.04 - 5.80	42.452 t
Ø 320 mm	S355J2	4.61 - 5.80	46.136 t
Ø 330 mm	S355J2	5.80	23.394 t
Ø 340 mm	S355J2	5.70 - 5.80	49.444 t

Size	Steel Grade	Length (m)	Available (t)
Ø 350 mm	S355J2	5.15 - 5.80	52.713 t
Subtotal [S355J2]:			4 006.520 t
Ø 35 mm	S355J2+M	6.00	0.107 t
Ø 40 mm	S355J2+M	6.00	19.836 t
Ø 65 mm	S355J2+M	6.10	25.338 t
Subtotal [S355J2+M]:			45.281 t
Ø 95 mm	S355J2+N	5.20 - 5.60	1.782 t
Ø 100 mm	S355J2+N	5.30 - 5.80	0.339 t
Ø 120 mm	S355J2+N	0.30 - 6.10	23.812 t
Ø 130 mm	S355J2+N	5.48 - 6.00	36.183 t
Ø 140 mm	S355J2+N	0.12 - 6.00	34.580 t
Ø 150 mm	S355J2+N	4.90 - 6.00	33.518 t
Ø 160 mm	S355J2+N	4.00 - 6.00	57.108 t
Ø 170 mm	S355J2+N	4.10 - 6.00	58.008 t
Ø 180 mm	S355J2+N	4.38 - 6.00	58.949 t
Ø 190 mm	S355J2+N	3.80 - 6.00	19.659 t
Ø 200 mm	S355J2+N	0.03 - 6.00	85.416 t
Ø 210 mm	S355J2+N	4.03 - 6.00	47.150 t
Ø 220 mm	S355J2+N	4.50 - 6.00	45.677 t
Ø 230 mm	S355J2+N	4.25 - 6.00	57.693 t
Ø 240 mm	S355J2+N	5.10 - 6.00	38.098 t
Ø 250 mm	S355J2+N	0.20 - 6.00	61.813 t
Ø 260 mm	S355J2+N	3.90 - 6.00	73.638 t
Ø 270 mm	S355J2+N	3.70 - 6.10	68.595 t
Ø 280 mm	S355J2+N	3.80 - 6.00	36.780 t
Ø 290 mm	S355J2+N	1.59 - 6.00	31.304 t
Ø 300 mm	S355J2+N	4.90 - 6.00	26.505 t
Ø 310 mm	S355J2+N	3.80 - 6.00	6.029 t
Ø 330 mm	S355J2+N	3.60 - 5.80	6.420 t
Ø 340 mm	S355J2+N	3.50 - 6.10	30.240 t
Subtotal [S355J2+N]:			939.296 t
Ø 200 mm	S355J2G3+N	5.17 - 5.67	9.635 t
Ø 210 mm	S355J2G3+N	5.53 - 5.90	10.875 t
Ø 220 mm	S355J2G3+N	-	9.705 t
Ø 230 mm	S355J2G3+N	5.52 - 5.78	29.500 t
Ø 240 mm	S355J2G3+N	5.23 - 5.83	19.715 t
Ø 250 mm	S355J2G3+N	5.21 - 5.97	38.502 t
Ø 260 mm	S355J2G3+N	5.00 - 5.74	29.190 t
Ø 270 mm	S355J2G3+N	4.23 - 7.39	80.408 t
Ø 280 mm	S355J2G3+N	4.36 - 7.21	72.764 t
Ø 290 mm	S355J2G3+N	4.46 - 6.33	43.580 t
Ø 300 mm	S355J2G3+N	0.13 - 5.92	110.091 t
Ø 310 mm	S355J2G3+N	0.92 - 7.66	57.774 t
Ø 320 mm	S355J2G3+N	4.45 - 5.94	77.276 t
Ø 330 mm	S355J2G3+N	5.41 - 8.41	55.065 t

Size	Steel Grade	Length (m)	Available (t)
Ø 340 mm	S355J2G3+N	4.79 - 5.92	42.065 t
Ø 350 mm	S355J2G3+N	0.07 - 5.94	126.132 t
Ø 360 mm	S355J2G3+N	4.81 - 5.72	113.328 t
Ø 370 mm	S355J2G3+N	3.03 - 6.94	65.016 t
Ø 380 mm	S355J2G3+N	1.43 - 6.89	45.100 t
Ø 390 mm	S355J2G3+N	2.56 - 6.34	72.710 t
Ø 400 mm	S355J2G3+N	4.79 - 6.06	74.817 t
Ø 410 mm	S355J2G3+N	1.89 - 5.54	84.244 t
Ø 420 mm	S355J2G3+N	1.64 - 6.27	80.820 t
Ø 430 mm	S355J2G3+N	4.39 - 6.45	76.050 t
Ø 440 mm	S355J2G3+N	3.60 - 6.80	72.191 t
Ø 450 mm	S355J2G3+N	1.14 - 5.50	26.590 t
Ø 460 mm	S355J2G3+N	4.93 - 5.57	25.505 t
Ø 470 mm	S355J2G3+N	1.30 - 6.52	36.266 t
Ø 480 mm	S355J2G3+N	4.86 - 6.63	39.580 t
Ø 490 mm	S355J2G3+N	6.64 - 7.23	20.979 t
Ø 500 mm	S355J2G3+N	0.38 - 5.33	22.437 t
Ø 510 mm	S355J2G3+N	2.77 - 6.48	57.043 t
Ø 520 mm	S355J2G3+N	3.33 - 5.47	20.370 t
Ø 530 mm	S355J2G3+N	0.62 - 6.05	36.970 t
Ø 540 mm	S355J2G3+N	3.48 - 5.60	30.675 t
Ø 550 mm	S355J2G3+N	3.53 - 5.34	30.252 t
Ø 560 mm	S355J2G3+N	4.52 - 5.24	23.256 t
Ø 570 mm	S355J2G3+N	4.51 - 5.26	29.080 t
Ø 580 mm	S355J2G3+N	3.16 - 4.90	26.745 t
Ø 590 mm	S355J2G3+N	2.84	5.910 t
Ø 600 mm	S355J2G3+N	1.24 - 5.00	34.350 t
Ø 610 mm	S355J2G3+N	4.11 - 4.79	11.215 t
Ø 620 mm	S355J2G3+N	0.18 - 4.38	36.014 t
Ø 630 mm	S355J2G3+N	2.00 - 4.11	34.200 t
Ø 640 mm	S355J2G3+N	1.42 - 4.10	25.500 t
Ø 650 mm	S355J2G3+N	0.11 - 3.80	20.950 t
Ø 660 mm	S355J2G3+N	3.43	7.035 t
Ø 670 mm	S355J2G3+N	3.25	9.100 t
Ø 680 mm	S355J2G3+N	3.14 - 3.38	23.398 t
Ø 700 mm	S355J2G3+N	3.07	8.671 t
Ø 720 mm	S355J2G3+N	2.84	8.035 t
Ø 750 mm	S355J2G3+N	2.69	9.480 t
Ø 760 mm	S355J2G3+N	1.17	4.160 t
Subtotal [S355J2G3+N]:			2 160.319 t
Ø 24 mm	U8A	6.00	4.275 t
Subtotal [U8A]:			4.275 t
TOTAL AVAILABLE IN STOCK:			19 346.837 t